

Robert J. Lovero
Mayor



Charles D. Lazzara
Building Director

A Century of Progress with Pride

6700 West 26th Street Berwyn, Illinois 60402-0701 Telephone: (708) 788-2660 Fax: (708) 788-1427
www.berwyn-il.gov

CONCRETE & ASPHALT SPECIFICATIONS

CONCRETE	STONE	THICKNESS
SIDEWALK (Reinforcement Optional) (No Reinforcement in Public Walks)	2"	4"

DRIVEWAY (Reinforced with Wire Mesh)	4"	4"
---	----	----

PARKWAY DRIVEWAY (No Reinforcement)	4"	6"
--	----	----

GARAGE FLOOR (Reinforced with Wire Mesh)	4"	4"
---	----	----

PATIO (Reinforced with Wire Mesh)	4"	4"
--	----	----

PAVERS	STONE	SAND
PATIO and WALKS	4"	1"

ASPHALT	STONE	THICKNESS
NEW OR EXISTING (COMMERCIAL)	8"	1.5" BINDER 1.5" SURFACE
NEW OR EXISTING (RESIDENTIAL)	6"	2.5" SURFACE

NOTE:

STONE BASE MUST BE COMPACTED BEFORE PRE-POUR INSPECTION